



U.S. Department of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 1998 Buick

Type: Century Custom, 4-door sedan

Driver: 70-year-old female CDC: 12-FDEW-2, 00-TDDO-4

SITUATION

(Slides 1, 2) On a clear, dry evening, case vehicle (A) was traveling east at an unknown speed in the left eastbound lane of a limited-access highway. The highway is a 4-lane asphalt road, divided by a concrete barrier between the east and west lanes of travel, and it was dark and unlighted. (Slide 3) The driver of case vehicle (A) reportedly fell asleep, and the vehicle exited the north shoulder and struck the concrete median wall with its left-front corner. After the impact, the vehicle rotated counterclockwise and began to roll over with its right side leading. Case vehicle (A) rolled four quarter-turns and landed on its wheels.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) The first impact with the median wall was to the left front of case vehicle (A). The direct damage began at the left-front bumper corner and extended 146 cm across the entire front. The maximum crush was 25 cm to the left-front bumper corner. (Slides 5, 6) The maximum crush from the rollover was 31 cm to the roof area, with direct damage extending across all planes of the vehicle.

Using the WinSMASH accident-reconstruction program and c-values measured for (slides 7, 8, 9, 10 and 11) case vehicle (A), the following impact severity was calculated for the frontal impact:

		Calculated	Velocity Change	- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	19 (12)	-19 (-12)	0 (0)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slide 12) Damage to the front of case vehicle (A) from the impact with the median wall and the rollover began at the left-front bumper corner and extended 146 cm across the entire front. (Slides 13, 14) The bumper was crushed, the grille was damaged, and the left headlight assembly was broken. (Slides 15, 16 and 17) The entire hood was crushed, and the damaged hood latch had released, allowing the hood to crumple severely and come into the windshield. Both hood hinges were deformed, but not separated. (Slide 18) The rear edge of the hood was elevated and it contacted, cracked, and penetrated the right-lower corner of the windshield. In addition, there was 5% bond separation located at the top-right portion of the windshield due to rollover damage.

(Slide 19) Rollover damage also extended along the roof, hood, and the entire right and left sides. The maximum crush from the rollover was 31 cm to the left portion of the roof, 27 cm to the left side, and 10 cm to the right side.

(Slides 20, 21) On the left side, there was direct rollover damage to the front fender and both door panels. (Slide 22) The upper and lower A-pillars and the upper B-pillar were damaged, and the driver door window glass was broken. (Slides 23, 24) Also, the left roof siderail was crushed, the driver window frame was damaged, and the left wheelbase was reduced 6 cm. (Slide 25) There was no other damage to the left side.

(Slide 26) On the right side, there was direct rollover damage to the fender and the front-door panel. (Slides 27, 28) The right-front wheel was damaged, the right-rear wheel was separated from the vehicle, and there was no measurable change in the right wheelbase. (Slide 29) The upper A-pillar was deformed, but both right-side doors were operational. (Slide 30) In addition, the right roof siderail was damaged, and the window frame of the right-front door was deformed.

(Slide 31) There was no damage to the rear of case vehicle (A).

Interior

(Slides 32, 33) This vehicle is equipped with steering-wheel and passenger frontal-impact airbags, which deployed, probably during the impact with the median barrier. (Slide 34) There was blood on the driver airbag skin, but no visible evidence of driver contact. (Slides 35, 36) There was no damage to the steering-wheel rim and no rotation of the steering column. (Slide 37) In the driver's seating area, the A-pillar, roof structure, headliner, sunvisor, and windshield header were damaged. (Slide 38) Also, the left roof siderail and left B-pillar were damaged, and the driver's door window glass was broken. There was no deformation to the driver's seatback or headrest and the seat adjuster was operable.

(Slides 39, 40) There was no damage to the upper or mid portions of the instrument panel or the knee bolster. (Slide 41) There was no damage to the center dash area or the glove compartment. The rear-view mirror was displaced from the cracked windshield, but the mirror glass was not broken. (Slide 42) In the right-front seating area, the roof structure and the headlining were damaged, the A-pillar was deformed, and the roof siderail was damaged. (Slide 43) The center armrest/console was deformed. The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
left front (slides 44, 45)	roof	31	down
	windshield header	31	down
	windshield	39	to rear
	B-pillar	10	to right
	side window frame	9	down
	A-pillar	28	to right
right front (slide 46)	roof	16	down
	windshield	44	to rear
	side window frame	5	down

OCCUPANT KINEMATICS AND INJURIES

(Slide 47) The 5 ft, 3 in, 117 lb, 70-year-old female driver was wearing the available three-point belt, and the airbag deployed during the frontal impact. (Slides 48, 49) There were markings on the shoulder belt webbing from the D-ring, indicating belt use at the time of the crash. (Slide 50) The shoulder-belt anchor point was adjusted to a lowest position on the B-pillar. The driver reportedly had the seat adjusted to a mid-to-forward seat-track position and she typically

positioned the tilt mechanism in the full-down position. She reportedly fell asleep and has no recollection of the moments before or after the crash.

During the frontal impact with the median wall, the driver moved forward into the belt restraints and airbag. During the rollover, she probably moved upward and to the left relative to the vehicle interior. (Slides 51, 52 and 53) She sustained 1.5-cm and a 3-cm lacerations to her scalp at the hairline, from contact with the sunvisor and roof, or roof siderail. In addition, this contact resulted in a loss of consciousness and a traumatic brain injury. (Slide 54) She sustained a 4-mm laceration to her right eyelid, probably due to the airbag contacting her eyeglasses, and she sustained contusions to her lips from contact by the airbag. (Slide 55) She sustained a 3-cm laceration to her left elbow, probably due to contact with the side-door window glass or the window frame. (Slide 56) She sustained a non-displaced incomplete fracture to her left humerus, possibly from contact with the door window frame or the B-pillar. In addition, she sustained a Grade-I laceration to her spleen, probably from contact with the side-door interior or armrest. (Slides 57, 58) Scuff marks on the knee bolster indicate driver contact but no corresponding injuries were noted.

The following table and attached drawing (slide 59) summarize the injuries for the restrained driver.

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 70 years Stature: 160 cm (5 ft, 3 in)

Gender: Female

Mass: 53 kg (117 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Loss of consciousness with traumatic brain injury	2		nvisor, roof, roof lerail	
1.5-cm scalp laceration, at the hairline	1		nvisor, roof, roof lerail	
3-cm scalp laceration, at the hairline	1		nvisor, roof, roof lerail	
4-mm laceration, right eyelid	1	Airl	rbag into eyeglasses	
Contusion, lips	1	Airl	rbag	
3-cm laceration, left elbow	1		de window glass, ndow frame	
Non-displaced incomplete fracture, left humerus	2			Window frame, B-pillar
Grade-I laceration, spleen	2		de door interior, nrest	
Maximum A.I.S. Level	2			
Injury Severity Score	12			

Duplicate columns 1-8 Module G I Format (from the previous card. 9 10 1	0 2	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	_	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE	<u>O</u> 33
LOCATION STATE: STATE FIPS CODE AREA (1) URBAN (2) RURAL (9) UNKNOWN	25 26 27	(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER: (9) UNKNOWN	34 2 35
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY	<u>1</u> _28	SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER:	1 0 36 37
(7) OTHER: (9) UNKNOWN INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	8 30 1 31	(99) UNKNOWN VISIBILITY LIMITATION (FOR CASE VEHICLE) (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	<u>O</u> 38
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	O 41	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	9 44 5 45	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	<u>1</u> 47	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	3 55
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE	49	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER DRIVER ALCOHOL BAC (CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN CASE VEHICLE AND CONTACTED STOPPED VEHICLE	50	(80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?	<u>8</u> 2
(0) NO (1) YES (9) UNKNOWN STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	(0) NO (1) YES (9) UNKNOWN LIST IMPAIRMENTS MENTION	59 ED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	<u>O</u>	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>O</u>	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 60

ACCIDENT DESCRIPTION: CASE VEHICLE (A) WAS TO	RAVELINE CASE VEHICLE (A): 1998 BUICK CENTURY
EAST AT AN UNKNOWN SPEED IN THE LEP	T LANE OTHER VEHICLE (B):
OF A LIMITED - ACCESS HIGHWAY. THE D	RIVER THIRD VEHICLE (C):
REPORTEDLY FELL ASLEEP WHILE DRIL	JING FXITED THE LANE LINE AND
NORTH SHOULDER, AND STRUCK A CONCRE	TE BARRIER WALL WITH TT'S FROUT
AFTER THE IMPACT, THE VEHICLE ROLLED	OVER AT LEAST 3600 LUTH ITS
RICHT-SIDE LEADING. IT CAME TO BEST O	N ITT WHEELS. NORTH
55 mph (89 kpl	
shoulder	
westbound t	travel
shoulde	er
shoulder	
A1 >	A2
eastbound travel	rollover right-side leading
shoulder	right-side leading
	A5
	A6

Duplicate columns 1-8 from the previous card. Module O V Format 0 4 11 12	OTHER VEHICLE C)V-1
MAKE:	CARGO:	
MODEL:		
MAKE:		
MANUFAC/BODY CODE	VEHICLE TYPE PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY	56 57
MODEL YEAR		
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 51	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN WHEELBASE (CM) (999) UNKNOWN	58 59 60

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 9 10 11 12	OTHER	R VEHICLE OV-2
ORIGINAL S	PECIFICATIONS	
Wheelbase cm	Front Overhang	cm
Curb Weight kg	Rear Overhang	cm
Average Track Width cm	Undeformed End Width (UEW)	cm
Overall Length cm	Engine Displacement	31 · 32 L
Overall Width (OAW) cm	Engine: # of Cylinders	33 34
VEHICL	E DAMAGE	



FRONTAL CRA	ASH OVERLAP	
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.	Direct Damage Length (DDL)	cm
Front-End Overlap (Percent) = DDL UEW		% 38 39
Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UE) OAW	<u>v)</u>	40 41 %

Duplicate columns 1-8 from the previous card. Module V D Format 0 4 11 12	VEHICLE DESCRIPTION	VD-1
MAKE: BUICK MODEL: CENTURY CUSTOM, 4-000	CARGO: NONE	
VIN 2 6 4 W 5 5 2	M 6 W 1 0 0 0 0	0 0
MANUFAC/BODY CODE	STOLEN VEHICLE	
MAKE/MODEL CODE $O + 2 2$ 38	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u> 62
MODEL YEAR	(a) DIALIACIAIA	
VEHICLE MASS (kg) 0 15 15 48	BODY STRUCTURE (1) BODY & FRAME	2
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49 54	(2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG)	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 56	(5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP	TRANSMISSION	
(996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	64
VEHICLE TYPE	LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) 60 61	SELECTOR LEVER (1) FLOOR (2) CONSOLE	3
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN	(3) COLUMN (7) OTHER: (9) UNKNOWN	
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE LITH TY (E.G. PANEL THEORY OF THE PROPERTY OF THE PAREL TH	STEERING	1
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(1) POWER (2) MANUAL (9) UNKNOWN	66
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	BRAKES (1) POWER	1
(33) PICKUP TRUCK, LARGE (99) UNKNOWN	(2) MANUAL (9) UNKNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 68	WHEELBASE <i>(cm)</i> (999) Unknown
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE	2 69	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	(a) DIALIACAMA
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	2	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3.
DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN	72	USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>3</u>	23. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED	74 1 75	FRONT OR REAR ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)
(5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN		

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

Average Track Width
$$\frac{1}{13} \frac{5}{5} \frac{7}{15}$$
 cm

Overall Length $\frac{1}{16} \frac{9}{16} \frac{1}{18}$ cm

Undeformed End Width (UEW)

$$\frac{1}{28} \frac{46}{30} \text{ cm}$$

$$\frac{4}{16}$$
 $\frac{9}{18}$ cm

Engine Displacement


Overall Width (OAW) 1 85 cm


Engine: # of Cylinders


$$\frac{0}{33} \frac{6}{34}$$

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module D from the previous card.	A Format 0 2	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	2	Clones
IMPACT SPEED (km/h)	9 9 9	998 35 36 37
ESTIMATED BY	/ /	79
CRUSH (cm)	<u>0</u> 3 / 20	<u>998</u>
CDC #1	<u>00</u> . <u>TD</u> <u>D</u> <u>O</u> . <u>4</u>	98.0000.0
CDC #2	9 8.0000 28	98.0000.0
	A Format 0 3 0 11 12	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER IMPACT SPEED (km/h)	4 q q	wal 1 998
	14 15 16	35 36 37
ESTIMATED BY CRUSH (cm)	$ \underbrace{0}_{18}^{17} \underbrace{5}_{20} $	$\frac{9}{9}\frac{1}{9}\frac{8}{40}$
CDC #1	$12 \cdot F D E W \cdot 2$	98.0000.0
CDC #2	98.0000.C	98.0000.0 49
Codes	<u> </u>	
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABL (9) UNKNOWN	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CDC
(998) NOT APPLICA (999) UNKNOWN	BLE SPECIFY: (7) OTHER: (8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module D A Format 0 1 12

DAMAGE

DA-2

MAXIMUM SHEET METAL CRUSH

(cm) (999) UNKNOWN

RIGHT SIDE $\frac{O}{16} \frac{I}{18} \frac{O}{18}$

LEFT SIDE <u>0</u> 2 7

OTHER _

CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER

IS UNKNOWN, EVENT ORDER IS OPTIONAL. DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

1 31

(0) NO (1) YES

EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
#1	<u>2</u>	17	<u>95</u> 80
#2	2 32 2 37	<u>62</u>	<u>&O</u>
#3	42		46
#4	47	49	 51
#5	52		 56
#6	57	 59	 61
#7	62	64	66

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
 (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98)
- OTHER (DESCRIBE) UNKNOWN
- (99)

- PASSENGER VEHICLE (02) LARGE
 - (03) LIMOUSINE
 - (17) PICKUP

 - (20) UNKNOWN PASSENGER VEHICLE BODY
 - (24) SUB-MINI
 - (25) MINI
 - (26) SUB-COMPACT
 - (27) COMPACT
- ∠ (28) INTERMEDIATE
 - (29) FULL

SIZE

WHEELBASE

- SUB-MINI < 2286 mm (< 90°) 2286 - 2412 mm (90" - 94.9") MINI
- SUB-COMPACT
- 2413 2539 mm (95° 99.9°) 2540 - 2666 mm (100" - 104.9")
- COMPACT INTERMEDIATE
- 2667 2793 mm (105" 109.9") 2794 - 2920 mm (110" - 114.9")
- **FULL** LARGE
- 2921 3174 mm (115" 124.9")
- LIMOUSINE > 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°. E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER) (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C From the previous card. 9 1	7 Format 0 1 12		H RECONSTRUC r AV	TION CR-1
	CASE VEHICLE P	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	Q		47	
ΔV (km/h) TOTAL	14 15 16	$\frac{8}{32} - {33} - {34}$	48 49 50	66 67 68
LONGITUDINAL*	5 - 20	35 38	<u>-0</u> <u>19</u>	69 72
LATERAL*	8=	8	<u> +000</u>	8-
NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>		·		
ENERGY DISSIPATED BY CRUSH (kj)	25 28	8	<u>OO 2/</u>	8 — 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>G</u> 7/ ₂₉ 1/ ₃₀		22	
(21) RECONSTRUCTED, LOW	29 7 30		63 64	
CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE				
CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL				
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA				
(03) EXCESSIVE UNDERRIDE/ OVERRIDE				
(04) ROLLOVER (05) VAULTING				
(06) OTHER TRAVEL IN MORE THAN ONE PLANE				
(07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE				
(09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE				
BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		2 65	
COMPUTER PROGRAM SPECIFY: WINS(から)				

Duplicate columns 1-8 Module C F from the previous card. 9 10	R Format 0 2 11 12		H RECONSTRUCT r EBS	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	14 15 16	<u>8</u> <u>-</u> _ 32 33 34	0 1 9 50	66 67 68
LONGITUDINAL*	17 20	<u>8</u>	51 9 54	69 72
LATERAL*	8	_8	+000	8
*NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>Q 1 Q</u> -7 km/h = <u>:</u> <u>Q Q Z</u>				
ENERGY DISSIPATED BY CRUSH (ki)	25 <u>C</u> 28	43 46	<u>0</u> 02[8
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>a</u> 4		<u> </u>	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>5</u>		65	
COMPUTER PROGRAM SPECIFY: WWS MASS		-		

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_1$ TO C $_6$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
1	BEGINS AT LF RC	BC TO BC
		·
2	all sides	NA



DL _____

UDL ____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

Specific	Plane		ble below is a t Damage	separate re	cord (card)	. <u>D</u> t	uplicate co	iumns 1 -	12 for eacl	n complete	ed line.
Impact Number	of Impact C-Measur.	Length (DDL)	Max Crush	Field	C ₁	C ₂	c3	C ₄	C ₅	C ₆	±D
)	1	146	(C1)40	142	40	18	11	9	8	16	0
			15		15	6	ŧ	l	6	15	
			25		25	12	(0	8	2	1	
1	1	146	025	142	025	012	010	005	OOL	001	+000
13	14	15 16 17	18 19 20	21 22 23	24 25 26			33 34 35	36 37 38	39 40 41	42 43 44 4
2	9	999	031	999	999	999	999	999	999	999	189 9

	e columns 1-8 previous card.	Module <u>C</u> 9	R Forma	at <u>0 4</u>		C	CRASH F	RECON	STRUCT	ION	CR-4
NOTES Locate	2. MEASIMPAC 3. DISPO	R CRASH RECO URE C ₁ TO C ₆ - TS, REAR TO F OSITIVE IF MEA HE CENTER OF amage with re	FROM DRIVER RONT IN SIDE ASURED TO A I	TO PASSENIMPACTS. POINT FORW	IGER SIDE IN VARD OF OR ECG.	FRONT C	OR REAR		L	ER VEH	
Specific	Impact No.		Location of	Direct Da	amage			Locat	ion of Fi	eld L	
	·····										
											
PLA	(1) Bumper (2) Above Bum (3) Sill (4) Above Sill (5) Other (9) Unknown	per	CRUSH	C6 C5 C4 C3 C2 C1	E IN CEN		ERS	DL UDL			
Specific Impact Number	NOTE: Each Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	C3	C ₄	2 for each C ₅	C ₆	±D
				NOT APF	CICABL						

Specific	Plane	Direct	Damage								
Impact Number	of Impact C-Measur.	Length (DDL)	Max Crush	Field L	C ₁	C ₂	Сз	C ₄	C ₅	C ₆	±D
					CABL	٤					
				NOT APP							
				Mo							
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 Module W T Format 0 11 from the previous card.	WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN RR LR	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF P20570R15 LF 35 RF 35 RR 45
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: RR (9) UNKNOWN LR	LR
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN LR	3 21 3 3 3 24
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:	-

Duplicate columns 1-8 Module F T Format (from the previous card. 9 10 1	0 1	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION LC	<u>32Z</u>	AUXILIARY TANK LOCATION	888 22 24
MAIN FILLER CAP LOCATION	1 13	AUXILIARY FILLER CAP LOCATION	86 27
MAIN TANK MATERIAL	9 20	AUXILIARY TANK MATERIAL	28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
 (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module F L Format 0 1 10

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

	I	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15		_			21
#2	22 23					29
#3	30 31		_			37
#4	38 39					45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP) (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

I COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED
- (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format C from the previous card. 9 10 1		FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAC (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card. Module E D Format 0 1 1 12			ED-1	
HOOD PERFORMANCE FOR THE FOLLOWING, USE CODES:		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE (0) NONE (1) FLEXIBLE MATERIAL	9 26	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN HOOD LATCH(ES)-	-RELEASED	(2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OTHER:	26	
TIOOD EXTORIZED		(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED		
	-DAMAGED	COUPLINGDAMAGED	9 27	
	-JAMMED	(USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)		
HOOD HINGESLEFT,	DAMAGED	16		
-LEFT,	SEPARATED (COMPLETE)	1/2		
-RIGHT,	DAMAGED	ENG COMPART TELESCOPING UNIT		
* -RIGHT,	SEPARATED (COMPLETE)	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 8 30	
HOOD REMAINED ON VEHICLE		(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED		
REAR EDGE OF HOOD-	-ELEVATED	ORIGINAL LENGTH (mm)		
-CONTACTED	WINDSHIELD	F (OR H):		
-PENETRATE	O WINDSHIELD	TELESCOPED LENGTH (mm) G:		
HOOD LATCH LOCATION				
(1) FRONT OF VEHICLE (2) COWL AREA		DIFFERENCE (mm)		
(3) SIDE (8) NOT APPLICABLE (9) UNKNOWN		24 F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)		
ENGINE OR TRANSMISSION SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	Mount	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	<u>8</u> <u>8</u> <u>8</u> <u>3</u> 3	

8 ⁄34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
4	(0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
35 36 36 4	OPENED -FRONT AT (NSP -REAR	⊘ 43 ⊘ 44
0 38 0 39	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
O 40 X 41	-FRONT -REAR	⊘ 45 ⊘ 46
42		
	4 35 4 36 9 39 0 40 8 41 6 8 41 6 8 41 6 8 41 6 8 41 6 8 41 6 8 8 41 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	HOW DID DOORS OPEN DURING COLLISION? USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN OPENSO OF TRONT AT DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN OPENSO OF TRONT -FRONT -FRONT -FRONT -FRONT -FRONT -FRONT -REAR

		EXTERIOR DAMAGE	ED-3
		Other Rear Damage	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR	<u>O</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>
(5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN Hatchback One-way		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	8 51
Two-way or		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK)	<u>Q</u>
HOW DID DOOR OPEN DURING COLLISION?		(3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING OTHER TYPES (5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) LINKNOWN	<u>Ø</u> 53
DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	₹ 49	(9) UNKNOWN	

		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER LOWER -B-PILLAR, UPPER	55 56 0	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT -REAR	<u>0</u> 0 63 64 <u>0</u> 0 65 66
LOWER -C-PILLAR, UPPER	© 58	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -D-PILLAR, UPPER	© &	-FRONT -REAR	
LOWER	8	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>\$</u>

WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD CRACKED 70 71 WIII	SHADED SHADED SOLAR-RAY SAFETY PPG FLO-LITE AS1 18 LAMINATED DOT 18 M 426	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WII	SOLAR-RAY SAFETY PPG FLO-LITE AS1 18 LAMINATED	
(PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WIII		
BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WII		
	NDSHIELD CODE 97) DESCRIBED BUT NOT CODED 98) NOT APPLICABLE (NO WINDSHIELD)	4 75 74 75
(0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60	99) UNKNOWN T-ROOF/SUN BOOF OPEN	
(5) 81 - 99	RING COLLISION?	8

airbag cover contact bond separation

tear from hood contact

Duplicate columns 1-8 from the previous card. Module S C Format 0 11	1 12	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK - 99	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED ORIGINAL DIMENSION (mm)	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	0	A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	0 18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<u>0</u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	31		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>32</u>		

1 = Definitely 2 = Probably 3 = Possible

						INI	RUSION IT-1
		(All Me	eters)	Dominant			
Location of		Comparison	Crush				
Intrusion	Intruded Component	Value		Value	=	Intrusion	Direction
11	Roof	107		76	=_	31	Down
11	Windshield header	107		76	=	31	Down
11	Windshield	110		71	=	39	Rear
11	B-pillar	12		2	=	10	Right
11	Side window frame	94	_	85	=	9	Down
11	A-pillar		_		=	28	Right
13	Roof	107	_	91	=	16	Down
13	Windshield	110	_	66	=	44	Rear
13	Side window frame	94		89	=	5	down
					=		
			_		=		
			_		=		

OCCUPANT CONTACT WORKSHEET

					Confidence
	Interior	Occupant	Body		Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
Α	Sunvisor	1	Head	Hair	1
В					
С					
D					
Е					
F					
G					
Н					
1					
J					
K					

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••	••••••		•••••	 INDIVIDU	JAL SEAT		
(1)	LEFT	(2)	CENTER	(3)	RIGHT			 BENCH:	FULL WID	TH 3 PASS	ENGER
(1)	LEFT		LEFT CENTER		RIGHT (CENTER	(3) RI	IGHT	 BENCH:	FULL WID	TH 4 PASS	ENGER
(1)	LEFT	(2)	CENTER		RIGHT & AISLE SPAC		•••••	 BENCH:	PARTIAL	WIDTH, LE	FT
	LEFT & SPACE	(2)	CENTER		RIGHT & SPACE	••••••	••••••	 BENCH:	PARTIAL	WIDTH, CE	NTERED
(4)	ENTIRE V	/EHI	CLE WIDTH					 CARGO	AREA		

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##) ·	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ **SEAT-BACK BACK SURFACE**
- (18) SECOND SEAT-BACK SURFACE **SEAT-BACK BACK SURFACE**
- (19) THIRD SEAT-BACK SURFACE **SEAT-BACK BACK SURFACE**
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER

A-PILLAR

ROOF SIDE RAIL

- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL

A-PILLAR

WINDSHIELD HEADER

(53)DOOR PANEL

B-PILLAR **ROOF RAIL**

(54)DOOR PANEL

A-PILLAR **ROOF RAIL**

(55)INSTRUMENT PANEL FLOOR PAN

A-PILLAR DOOR FRAME

(56)ROOF RAIL

A-PILLAR

B-PILLAR

WINDOW FRAME

(57)ROOF RAIL

A-PILLAR

B-PILLAR C-PILLAR

DOOR PANEL

(58)ROOF

ROOF RAIL WINDOW FRAME

DOOR PANEL

(59)BACKLIGHT HEADER

ROOF

C-PILLAR

THIRD SEAT-BACK

- (60)ROOF **ROOF RAIL** A-PILLAR **B-PILLAR** C-PILLAR WINDOW FRAME DOOR PANEL **FLOOR PAN**
- (61)INSTRUMENT PANEL **TOE PAN** WINDSHIELD HEADER A-PILLAR

ROOF RAIL WINDOW FRAME DOOR PANEL

ROOF

(62)ROOF **ROOF RAIL**

> C-PILLAR WINDOW FRAME

FLOOR PAN

SECOND SEAT DOOR PANEL

(63)ROOF RAIL ROOF

B-PILLAR

WINDOW FRAME FLOOR PAN

DOOR PANEL

SECOND SEAT

FRONT SEAT

(64)ROOF RAIL

ROOF OR CONVERTIBLE TOP A-PILLAR

B-PILLAR

WINDOW FRAME WINDOW HEADER

(65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL

(66)WINDSHIELD

WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

	columns 1- previous car		9 T 9 10	Format <u>0</u>	1 12			Int	RUSION	IT-5
(0) N (1) Y	10 <u>do no</u>	UPANT COM TANSWER NEXEM NEXT QUES SKIP PAGE.	KT QUEST			13		ON CATAS COMPLETE PASE.	,	14
from the	columns 1- previous car ach line in th		y is a sepa	11	12	olicate column	is 1 - 12 for eacl	h completed	line.	
	NTRUSIO	CODES F	FOR B, F	NS IN THIS (F, G, H, I, J N PAGE IT-4	ON PAGE				OK IN VEHICLE	S.
A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.	E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>0</u> <u>1</u>	11	06	2	39	00	00	00	00	00	00
0 2	11	15	2	00	00	31	01	01	ع ا	<u>0</u> 2
0 3		07	2	00	00	31	00	00	00	00
0 4	11	08	2	00	28	00	00	00	00	00
0 5	11	77	<u>_</u>	00	10	٥0 ₋	01	07	00	00
<u>0 6</u>	11	10	2	00	_00	09	01	06	00	00
0 7 NOTE: USE	L 3	A 6		44 usions.	00	<u>o</u> <u>o</u>	00	<u>00</u>	00	00
	columns 1-8 revious card		<u> </u> T 9 10	Format <u>0</u>	<u>3</u> 12					
SKIF SIDE [PREMAINDER DOOR INT SULTED F	RUSION		IF DAI DOOF INTRUS NUMBE	RINTRUS SION I	DOOR CC ION, CODE DAMAGED PMPONENT 1	OMPONENT E COMPONE DAMA COMPON	ENT GED	ED IN INCRE CODES FOR COMPONE	
	15 (c	CODES FOR CAUSE: 1) DIRECT IMPACT 2) INDUCED DAMAGE 9) UNKNOWN		A	- - -	_ _ _ _	25 29 33	- -	(0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STRII (5) HINGES (7) OTHER: (8) NOT APPLIC (9) UNKNOWN	

Duplicate columns 1-8 from the previous card.

Intrusion

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A	В	C INTRUDING	D ASSOC.	E MAXIMUM	F MAXIMUM	G MAXIMUM	н	ı	J	к
INTRUSION NUMBER	OCC. SPACE NO.	OR OBJECT	EVENT NO.		INTRUSION Y AXIS (cm)	INTRUSION	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
			2		- 4					_
0 8		15					00	<u>o</u> _o	00	00
0 9	13	T 0	2	00	0	05	00	00	00	00
1 0										
11										
1 2			_							
1 3										
1 4			_							
<u>1 5</u>			_							
<u>1 6</u>										
17										
1 8										
<u>1</u> 9			_							
20										
2 1										
22			_							
2 3										
2 4										
<u>2</u> <u>5</u>										

Duplicate columns 1-8 from the previous card.	Modu	le <u>I</u> D	Format <u>0</u> <u>1</u>	ln	TERIOR DAMAGE	ID-1
co	(1) NO) YES) NO, and	(8)	YES, and (NOT APPL UNKNOWN	OCCUPANT CONTACT ICABLE I	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	LEFT 0:0 50 7 90 2 0 2 0 2 0 2 0 3 0	RIGHT 0 20 20 20 20 20 20 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS OF SUNVISOR S	0 45	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLET HEATER OR A/C DUCTS RADIO OTHER: *	
OTHER: *	39 46 43 43	40 44			REAR WINDOW WINDOW HEADER CONSOLES VERTICAL ROOF	0 68 69 8 70

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 from the previous card. Module S T 10	Format <u>0</u>		SEATS	;	ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	Passen'r	FRONT SEAT-BACK	DRIVER	Passen'R
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	13 14	0 9	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	3	31
(97) OTHER:	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	433
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CONTACT OF SEAT	21	1/22	RECLINER MECHANISM HELD (0) NO (1) YES	36	37
BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	23	24	(8) NOT APPLICABLE (9) UNKNOWN		
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	<u>ر</u>	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	1	1 39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	-	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q	<u>♂</u>
FRONT SEAT ROTATION		()	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	42	<u>2</u>
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	٥	45


(5) NUI APPLICABLE

			Se	EATS	ST-2
FRONT SEAT ADJUSTMENT SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	DRIVER 2 46	PASSEN'R	SECOND SEAT (CONT.) CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED		8
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN PRE-CRASH POSITION (1) FORWARD (2) MIDDLE	48	8 51 5 55	SECOND SEAT-BACK LOCKS FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED RIGHT, HELD (3) SEAT FOLDED DOWN	C 63	RIGHT 80 82 84 64 0 68
(3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN SECOND SEAT TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	LEFT	RIGHT	THIRD SEAT EQUIPPED BACKREST DAMAGED CUSHION DAMAGED	69 71 8 73	70 8 72 72 74
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 58	O 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7	Ò


Duplicate columns 1-8 from the previous card. Module A B Format 0 11	1 12	AIRBAG	AB-1
DRIVER SIDE		PASSENGER SIDE	
LOCATION OF AIRBAG		LOCATION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
EQUIPPED		EQUIPPED	
(0) NO (1) YES		(0) NO	
(4) PRIOR DEPLOYMENT	13	(1) YES (4) PRIOR DEPLOYMENT	16
NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED		NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	
DEPLOYED		DEPLOYED	
(0) NO (1) YES	1	(0) NO	
(1) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE	14	(1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE	17
(NO AIRBAG) (9) UNKNOWN		(NO AIRBAG) (9) UNKNOWN	
(6) 611116.		(3) GIANIAGAMA	
CONDITION OF AIRBAG		CONDITION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
(0) NO DAMAGE	•	(0) NO DAMAGE	
(2) SPLIT OR TORN (3) CUT DURING CRASH	<u>U</u>	(2) SPLIT OR TORN (3) CUT DURING CRASH	14
(4) BURNED/MELTED (5) CUT POST CRASH	15	(4) BURNED/MELTED (5) CÛT POST CRASH	18
(6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED)		(6) OTHER	
(9) UNKNOWN IF EQUIPPED OR CONDITION		(8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED	
OR CONDITION		OR CONDITION	
DRIVER SIDE		PASSENGER SIDE	
AIRBAG		AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
TETHER		TETHER	
(0) NO		(0) NO	/
(1) YES (6) OTHER	19	(1) YES (6) OTHER	21
(7) UNKNOWN IF TETHERED (8) NOT APPLICABLE		(7) UNKNOWN IF TETHERED(8) NOT APPLICABLE	
(NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED		(NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	
MARKED BY CONTACT (0) NO		MARKED BY CONTACT	
(0) NO (1) YES	0	(0) NO (1) YES	1
(8) NOT APPLICABLE (NO AIRBAG)	20	(8) NOT APPLICABLE (NO AIRBAG)	22
(9) UNKNOWN		(9) UNKNOWN	1

AIRBAG AB-2

AIRBAG NUMBER ON DRIVER SIDE:



AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 from the previous card.	1 2	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	13 14	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	70 20 21 2 5 22 23
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN HEIGHT (cm) (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	1 6 0 27 28 29 2 25 29
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u>O</u> y 31 52
POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP ON IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN	1 2 34
(80) IN CHILD SEAT (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	<u>Ø</u>

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	3 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	88
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG NOT DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE	3 37 3 38 2 40	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, RIGHT SIDE (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: HEAD RESTRAINT	43
(6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN		HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		OCCUPANT INFORMATION (OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	47	SOURCE OF INFORMATION (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	7

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.



INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

						PRIM	ARY (OIC		А	ssoc	IATE	OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START IN 1ST (BILITY (HOI WITH MOST CONTACT A	S IN ORDER OF RIZONTALLY) . I PROBABLE BREA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY W	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
01	OL	10	25		H	\underline{w}	K	B	2	_		_			
↑	02	10	25		#	A	戸	I	1	_					
	03	10	25		Ħ	A	L	I	<u></u>		_	_			
	04	87		AIRBAS INTO EYECLASSES	£	R	7	I	1	_			_		
	05	87			F	I	ح	I	<u>. </u>	_		_			
	06	<u>22</u>	<u>2</u> 1		<u>E</u>	<u>L</u>	느	I				_	_	_	
	07	21	15		<u>A</u>	<u>L</u>	<u>F</u>	<u>S</u>	2		_			_	
ei e	08	20	13_		$\overline{\mathbb{W}}$	上	L	Q	2			—		_	
"Occupant Number" for each line.					_		_		_	_				_	
mber" for						_			_		_		_	_	
upant Nu					_		_	_	_	_	_	_		_	
ate "Occ									_		_		_	_	
- Duplicate					_		_		-	_		_	_	_	
									_					_	
					_	_			_		_	_		_	
								_	-			_	_	_	
					_	_	_			_	_			-	
					_		_		_					_	

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	
, ,		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
(54)	UPPER INSTRUMENT PANEL (X)	(24)	COATTIOOR
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW CLASS (CIDE)
	(·)	(22)	· · ·
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILLAR
(48)	KNEE RESTRAINT	` '	
(86)	VERTICAL CONSOLE	FLOOR	
(/		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
(20)	TOOT GOTT THE PROPERTY AND BEARE TEDAL)	, ,	
(00)	STEEDING ASSEMBLY (SPECIFIC AREA LINKAIOMAI)	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)		PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	· · · · · · · · · · · · · · · · · · ·
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	_	
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)		ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT		COAT HOOK
(67)	IGNITION KEY		DOME LIGHT
(06)	MIRROR	(39)	
(04)	HEATER OR AIR CONDITIONING DUCTS		
		(68)	
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)		
(58)	ADD-ON TAPE DECK, RADIO, A/C		OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW	· · · · ·	OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
(30)		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	(04)	TINES OF CASE VEHICLE
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	PENONE	CASE VEHICLE BOLINDARY
			CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT		· · -
, ,		(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
	ARCTE AND CHOTELLIA DRIVE DE		OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE	_	
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS	* *	•
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	
	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT		SPARE TIRE
	INTERIOR LOOSE OBJECT	• •	INDUCED
	OTHER OCCUPANT(S)		
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(97)	EJECTED, UNKNOWN CONTACT
(52)	UNKNOWN INTERIOR SURFACE	(98)	IMPACT FORCE, "WHIPLASH",
(41)	OTRIAGMA IIT I ERION GUREAGE	(06)	HYPEREXTENSION/COMPRESSION

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE <u>BODY REGION</u> CODES LISTED ON PAGE IC - 4. ____(H) HEAD (F) FACE -- (N) NECK --🕳 (S) SHOULDER 🚤 (BS) THORACIC SPINE C) CHEST (A) UPPER ARM -(E) ELBOW -(R) FOREARM (W) WRIST (W) HAND (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS THIGH - (K) KNEE - (L) LOWER LEG -(Q) ANKLE (Q) FOOT-

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

4		
- 1	BUDA	REGION
		LILUICIA

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 55 SYSTEM/ORGAN 4 LESION 53 ASPECT 24 BODY REGION 1

SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN









est Availa







act Availa







































































































